

ANIMATING THE CITIES : DYNAMIC EXPLORATION OF HARMONIZED URBAN DATABASES (UNITED-STATES, FRANCE, 1800-2000)

BRETAGNOLLE A.(1), MATHIAN H.(2), VAN HAMME A.(2)

(1) University Paris 1 Panthéon-Sorbonne, PARIS, FRANCE ; (2) CNRS-UMR Géographie-cités, PARIS, FRANCE

INTRODUCTION

The project consists in a generic visual tool for mapping and analyzing the evolution of a system of cities on a long-term period (2 centuries), in different countries. The project started in 2008 in the framework of a national grant . The first step aimed to build a dynamic urban database over two centuries, in its conceptual form as well as in its fill in. The conception of the visual tool for exploring the database represents the last part of this project and has been developed in 2010 (Van Hamme and al. 2010). Three main objectives were challenged: Designing a generic tool, that could be possibly used in the future for several countries under study (United States, France, South Africa, and possibly China and India); Allowing a dynamic exploration of the different databases, which raises a range of difficulties as they are spatio-temporal and multi-level (cities themselves and systems of cities); Giving an interactive application, that could be used by a large range of Internet users, from pupils to researchers or urban planners. The resulting interface combines time, location and attributes, according to the triad model (Peuquet, 1994). Attributes are characteristics of cities, such as population, surfaces, density, socio-economic indicators and will include also inter-urban accessibility. The application integrates the interactivity in order to propose an exploratory and animated cartography of urban dynamics, according to our conception of the urban system analysis and in order to stimulate the desire of exploration of the variety of trajectories (Dykes &al. 2004, Andrienko &al. 2005). This paper focuses on the two first implementations, United States and France.


1/ BACKGROUND AND OBJECTIVES : GETTING TO SEE EVOLVING CITIES ON THE LONG TERM PERIOD

Managing spatio-temporal databases

Urban databases are particularly complicated when approached on the long term period. Cities perimeters evolve frequently, especially since the first revolution of transportation, which is the depart point of our study. Usually when official urban statistics integrate historical data, they define them according to their final delineation. Our point of view is different: Delineation is an active component of the city evolution that is important to be retained. If the delineations are too restrictive and don't take into account the emergence of suburbs, at the end of the 19th century, and the raise of suburban rings, in the second half of the 20th century, the results of the statistical computations of socio-economic indicators may suffer from bias (under-estimation of larger cities for instance).

The originality of our approach lays as well on the evolving definition of the city that underlies the geospatial database and on the way the system of cities is shown in a dynamic and multilevel perspective. Indeed, the project consists in constructing harmonized urban databases, i.e. using time definitions of cities. For the United States, we start from a theoretical approach of an "evolving city model", and we use the one hour time-budget, dedicated in different world region or time period to travel every day to work place, in order to construct spatial delineations of the cities at each period (Bretagnolle and al. 2008). In this time budget, we fit the municipalities of the 19th century, the urban agglomeration with their suburbs of the first half of the 20th century, and the functional urban area with their suburban rings of the second half of the 20th century (Figure 1). Historical transportation networks are used to estimate the average Euclidian distance that can be covered in the one-hour time budget, at each census data point (from 1790 to 2000, every ten years). Inside the resulting radius, all the building blocks are aggregated (municipalities or counties, depending on the period) and this aggregation form the city in our database.

Figure 1: From the evolution of the concept of city to the database model



The modelised city

For France, we use the historical database that has been constructed by D. Pumain and B. Riandey at the Institut National d'Etudes Démographiques (Pumain and Riandey 1986), the harmonised database of functional areas (Julien 2003, Paulus 2004) and the database model built by the Harmonie-cités team for the 1831-2006 period.

Different types of indicators are under the scope of the project Harmonie-cités and will be represented as attributes of cities on the website: population and surface, economic activities, social categories, and accessibility on transportation networks. Currently, the website has been designed for the first thematic focus (population, density, surface).

2/ APPROACH AND METHODS: ADOPTING A MULTI-LEVEL PERSPECTIVE

Our purpose is to use the power of new technologies to conceive a visual tool integrating our conception of how cities are evolving in their main components. Our level of observation is the one of the city, and not the intra-urban one. Cities are seen as elements of an urban system, and their evolution is constrained by their position in the system, either global in the urban hierarchy, either local in their spatial regional or national context.

The application has thus to integrate this multilevel contextualisation of the cities.

Different points of view for visualizing cities


For the conception of the tool, attention was given to allow a dynamic and interactive exploration of cities at different scale levels. This is linked to one of the most important properties of cities: they are not only a concentration of people, enterprises and services, but they also represent one level by them selves (for example when using the reification of “the city of Boston”, or “the city of Paris”), and they are part of systems of cities through the multiplicity of relationships that they draw with other cities, at regional scale, national scale, macro-regional scale (for instance Europe, North America, Asia, North or Black Africa), and for some of them today at the world scale. As in cartography where all database are accurate for a specific cartographic scale, the accuracy of any urban database is associated to a specific geographic level. In our case, the spatio-temporal reference level is the one of system of cities, which is not easy to report because people are used generally to focus on one specific city evolution. This is mainly due to the fact that the links that underlay the interactions of the system are difficult to catch, because of a lack a flows data, and generally the representations are just based on the design of transportation or information networks (air plane, railroad, Internet connections...). An ambitious goal of the project is to get the level “system of cities” more accessible to the user, enabling him to discover some correlations between the quality of accessibility of cities at regional or national scales and their economic dynamic, or some correlations between regional locations and economic innovation cycles (the rustbelt in the United States, the Sun Belt in France or in the United States), or some correlations between social dynamics and city sizes (concentration of “creative classes” and white collars in large metropolises for instance).

The visualizing tool should allow this simultaneous exploration of the multi-level dynamics, going from cities to urban system through different significant levels of contexts that make sense for the exploration of the city dynamics.

The city level that we consider here consists first in aggregation of elementary local administrative units used by National Statistical Boards to collect census data (the building blocks being generally areas, districts, “arrondissements”, “quartiers”, municipalities etc.). Of course, this doesn’t give an overall view of the dynamics “inside” the city, but it gives a synthetic representation of the huge transformation of urban spatial extent, city by city, since two centuries. For example, when following the evolution of Paris’s building blocks, we start with one commune in 1831 and finish with more than one thousand communes in 2006. The building blocks may be municipalities (US 1790-2000), counties or sub-counties (US 1940-2000), communes (France, 1831-2006).


In addition to this way of considering city evolution, another important point is to allow a simultaneous representation of the city with some attributes (Figure 2) and a view of the city as a part of a larger urban system. Then, the challenge is to represent dynamically the co-evolution of the delineation and the characteristics of the resident population and activities constituting the city, as a good proxy for social and economic specialisation of the city, which is seen here as a whole, an element of a higher system.

Figure 2: A city trajectory with its attributes (Toulouse, France)




Different contextual levels are important to be considered, from local systems to large system of cities. Indeed, the notion of urban system is very difficult to define, and generally one city is involved in different systems of relations, which are interlocked, and which are open systems. Even the notion of national system of cities is questionable: if cities are known to have more relationship with other cities inside national frontiers than with cities abroad, these national relations don’t involve all the cities but some of them, either the largest, either the closest inside regional contexts, either the ones which belong to the same economic specialisations (Bretagnolle and al., 2009). In order to respect this variety of approaches, we have decided not to impose a unique definition of systems of cities but to give the possibility of choosing different perspectives. The system level can be regional (for example cities belonging to some administrative regions, in France, or to States, in US), national (all the French or US cities at one date), defined by the experts of the projects (for example in US at the 19th century, when strong interdependences between city only occur only inside regional part of the country, like the North-Eastern coast, the South-Eastern one, the Californian one, etc.), semantic (for example choosing cities larger than a selected threshold, top ten or other) or defined by the user himself (Figure 3).

Figure 3: Systems of cities, national (France, 1870) and regional contexts (Laker country, US, 1870)




Sources: Railroad network digitalized from Caron 1997 Tome 1 Planche 11; Harmonized data base on French cities, Bretagnolle 1999.



Sources: US harmonized data base (Bretagnolle, Giraud 2008) and railroad network (Paffoni 2008, Thomas W., Railroads and the Roots of Modern America /Aurora Project, University of Nebraska)

Using a multilevel approach allow to combine not only the vision of the object but also its location and relative evolution inside a larger system of cities, coupled with the representation as an evolving aggregation of building blocks. This combination is provided by the use of attributes that are not computed only for one city but also for the urban system level, as illustrated for the example of Toulouse (Figure 4). In that case, the rhythm of Toulouse urban growth is very similar to the one of the whole urban system, but in other cases, like Montpellier or Marseille, the relative trajectory is very different from the French urban profile.

Figure 4: A relative view of a city trajectory (Toulouse, France)



3/ RESULTS: A GENERIC, DYNAMIC AND INTERACTIVE TOOL

We wanted the visualizing tool to be an interface with the spatio-temporal database, reflecting the way we conceptualized the city and the forces underlying their evolution and their co-evolution patterns, under logics operating either at the level of the whole urban system either at the level of a more local urban systems. We present in this part the different conceptual choices that have been done for the different representations: Time, dynamic trends, not only from a cartographical animation point of view but also from a semeiological one.

Conceptualizing a generic structure

We have put a strong emphasis on the construction of a generic structure, as the application is currently illustrated by two urban systems but some other projects are developed by researchers of the laboratory (South Africa, India, China...).

Concerning the databases formats, we had to take into account the diversity of the urban databases that have been gathered for the project: some have been constructed several years ago, by a diversity of researchers, and the database models are not the same. Consequently, we have chosen to go from urban

databases to homogeneous cartographic databases, which constitute the inputs of the application and feed directly the cartographic module. The input is in a very standard format. It gives for each city, at each date, its characteristics and its geometry (generally shapes, but sometimes only points because of a lack of data, for example in US database until 1940). For the moment most of characteristics are quantitative (population, active population by specialization...). The objects are also associated to a generic type of city: definition evolves throughout the two centuries, depending on the perimeter contained in the one-hour time budget. For example, New York or Paris's trajectory varies from municipality to agglomeration of municipalities then functional area.

Dynamic: at the heart of the interface

The interface combines in a dynamic way three windows which offer to the user a multidimensional view of the spatio-temporal database. The windows are dynamically joined, two by two, and synchronized with the time line (Figure 5).

The whole period is represented by the range of the timeline, and the time unit is the year. The continuous representation of the period (time line) should give the impression of continuity, and events are marked by red dots on the timeline. By this way, the time for animation is proportional to real time. Cursor moves on the timeline and representations change only when passing over red dots: We choosed not to interpolate the geometries between two recordings in order to give the closest representation of the database. Another reason for this choice is that interpolation was not possible for the former periods as we don't have the shapes of the cities but only their centre location (US, before 1940).


Tools for animation are the classical ones (play, stop, pause...) and a cursor for localising the current year. It also possible for the user to act on the time and to select the dates to be visualized. In that case, each user leads the exploration of the period, date to date with its own perception of the order, and the time becomes the user's time.

The multi-level approach

The three windows allow to visualize a view of the selected contextual urban system, from local to global (upper window, figure 5), a view of the spatial evolution of a selected city (low left window) and the quantitative evolution of a selected indicator for the city and its context (low right window). Consequently, the interface combines the dynamic of an urban system as well as the focus on the dynamic of a selected city, revealed through its spatial extension and its thematic dimensions, in relation with its national or regional context. As described above, some contexts are predefined (given by experts as significant regional contexts) but the user may also choose one specific using the "zoom". The combination of the three linked windows gives an original powerful lighting of the spatio-temporal database.

At the level of the city, representing the succession of the perimeters of the selected city for such a long period (more than 20 census dates in US, more than 30 in France) is challenging. The solution adopted (Figure 5) has the advantage of showing very clearly and quite simply the dramatic spatial extension of cities. Each date is characterized by a particular shade inside a variation of scale colour, and the oldness of an area of the city is given by the resulting colour of the overlaying shades. The central areas are in dark red at the end of the simulation, whereas the recent suburban rings appear in light rose. The legend summaries the way the figure can be understood, detailing 30 different colours with referred dates being just impossible to do.


Figure 5 : the interface of the project



Interactivity: thinking stimulation and self-discovery

The interface has not been conceived as an animated “atlas”, a series of urban images to be looked passively. On the contrary, the architecture of the application invites the user to a self-discovery, allowing him to process by try and error. One can have a static approach by choosing one date or a dynamic one by choosing animation. The upper and largest window is dedicated to a systemic view, and even if one may zoom on the map, this window suggests that urban dynamic has to be explored at a national or regional scale because cities interact and co-evolve. The user may also select a city and follow in the bottom left window its spatial extension at the building block level. A third window completes this dynamic exploration with some representation of statistical measures. Thus it is possible to connect the evolution of the selected city with its spatial extension and to follow its position (Figure 6, red curve) relatively to the urban system, either national or local (blue curve), depending on the spatial coverage chosen in the upper window.

Figure 6: Links between functionalities of the interface



The multiplicity of links between sub-windows are an invitation for the user to explore himself the dynamics of cities and the strong interdependences that exist between the trajectory of a city and the one of a regional or national system. One can discover progressively the potentialities of the website. At a very rough level, meaning without pointing on a precise spatial context or a precise date, it is the evolution of the whole system of cities that appears. For example, the U.S. interface allows the visualisation of the progressive space filling by cities, during the pioneer front of the 19th century, as well as the remarkable persistency of the urban hierarchy through time (old Eastern cities as Boston or New York remaining constantly in the top 10 of the cities, even after the booming of the Western then Southern cities). At a more detailed level, the user may choose some spatial and temporal contexts that enlighten some specificity of the selected cities. For example, considering only the rust-belt region in order to analyse the economic or demographic trajectory of a city like Detroit, or considering the years 1950-1980 in order to follow the trajectories of sun-belt cities during the TIC innovation cycle.

Different levels of difficulties

The public that could be interested in this product is large, from teachers and pupils at schools to researchers and urban planners. We have planned an easy downloading of the main attributes tables, maps and graphs, and of the information sheets that are associated to the indicators. These difficulty levels will be available, easy (for pupils for example), average (one-page format) and “to go further” (the papers published by the researchers who have conceived the databases and the statistical exploitations).

4/ PERSPECTIVES AND CONCLUSION

We have presented in this paper a visualisation website for urban spatio-temporal databases, constructed in a long-term period. The aim was to conceive a thinking stimulation tool and not a simple animated atlas of urban maps. Even if we are still in an experimental phase of the conception, the project is now ready to be tested and improved taking into account suggestions of users. The website has already been tested with teachers and pupils at the “Salon de la Géomatique” of the International Festival of Saint-Dié (October 2010), and other test will be necessary in the future.

The first version of the generic website is finished. We are now in a validation phase and the website which will be soon available, for US and France and for the first groups of thematic characteristics (population, density, surfaces and economic activities). The application concerning South Africa should also be available in the current year. The second phase of the project will be longer, as it consists in working on the introduction of new time-harmonized data, for social categories and transportations inter-urban indicators and the databases are still in construction. But one strength of the project is the strong

association with research field in urban studies, that will feed in the next years the visualization website and allow frequent updates and maintenance of the tool.

Technical Appendix:

The architecture of the website is principally based on the JavaScript libraries OpenLayers and HighChart, and a few GML layers (one per year, for each country). The statistical measures are also stored in a MySQL database to be able to make asynchronous calls, especially using PHP (in AJAX).

REFERENCES

- Andrienko, N. and Andrienko G. (2005), *Exploratory Analysis of Spatial and Temporal Data - A Systematic Approach*. Springer, 600p
- Bretagnolle Anne, Giraud Timothée, Mathian Hélène (2008), "Measuring urbanisation in the United States, from the first colonial trading posts to the Metropolitan Areas (1790 to 2000)", in *Cybergeog*, 427, 40 p. <http://cybergeog.revues.org/index19683.html>
- Bretagnolle A., Pumain D. & Vacchiani-Marcuzzo C. (2009), The organisation of urban systems. In Lane, D, Pumain, D., Van der Leeuw, S. & West G. (Eds.), *Complexity perspective in innovation and social change*. Springer (Methodos Series 7). <http://halshs.archives-ouvertes.fr/halshs-00459713>
- Dykes, J., Mac Eachren A.M., Kraak M. J. (eds) (2004), *Exploring geovisualization*. Amsterdam, Elsevier, 730 p.
- Julien Philippe (2003), « L'évolution des périmètres des aires urbaines 1968-1999 », in Pumain D., Mattéi F. (eds.), *Données urbaines, tome 4*. Paris, Anthropos, Economica, pp. 11-20.
- Peuquet D. J. (1994), "It's about time; A conceptual framework for the representation of temporal dynamics in geographic information systems", *Annals of the Association of the American Geographers*, No.3, 441-461.
- Paulus F. 2004, *Coévolution dans les systèmes de villes : croissance et spécialisation des aires urbaines françaises de 1950 à 2000*, Thèse Université Paris 1, <http://tel.archives-ouvertes.fr/tel-00008053/en/>
- Pumain Denise, Riandey Benoît (1986), « Le fichier de l'INED : Urbanisation de la France », in *Espace Populations Sociétés*, vol. 2, pp. 269-278.
- Van Hamme A., Bretagnolle A., Mathian H. (2010), « Animer les villes. Exploration dynamique de bases de données urbaines harmonisées dans le temps long », in *Mappemonde*, Rubrique « Concours géovisualisation du F.I.G. Saint-Dié », 4 pages, <http://mappemonde.mgm.fr/num27/fig10/fig10301.html>